10

20

The embodiments of the invention in which an exclusive property or privilege is claimed are defined as follows:

An isolated mammallan staufen protein or C. elegans staufen protein exhibiting homology to Drosophila staufen and interacting with dsRNA and/or RER.

2. The isolated staufen protein of claim 1 having an amino acid sequence at least 95% identical to a sequence selected from the group consisting of:

(a) amino acids from about -81 to about 496 of

Figure 1A;

- (b) aming asids from about 1 to about 496 of Figure 1A;
- (c) amino acids from about -80 to about 496 of

15 Figure 1A;

- (d) Amino acids from about 2 to about 496 of Figure 1;
- e) amino acids from about 1 to about 494 of Figure 1C;
- (f) amino acids from about 2 to about 494 of Figure 1C;
- (g) amino acids of *C. elegans* of Figure 1'; and
- (h) the amino acid sequence of an epitope-bearing portion of any one of the polypeptides of (a), (b), (c), (d), (e), (f) or (g).

dsRNA binding domain of a mammalian staufen protein or *C. elegans* 

25 staufen protein.

10

15

20

25

An isolated nucleic molecule comprising a polynucleotide sequence at least 95% identical to a sequence selected from the group consisting of

(a) a nucleotide sequence encoding a staufen polypeptide comprising amino acids from about -81 to about 496 of Figure 1A;

(b) a nucleotide sequence encoding a staufen polypeptide comprising amino acids from about 1 to about 496 of Figure 1A,

(c) a nucleotide sequence encoding a staufen polypeptide comprising amino acids from about -80 to about 496 of Figure 1A;

(d) a nucleotide sequence encoding a staufen polypeptide comprising amino acids from about 2 to about 496 of Figure 1;

(e) a nucleotide sequence encoding a staufen polypeptide comprising amino acids from about 1 to about 494 of Figure 1C;

(f) a nucleotide sequence encoding a staufen polypeptide comprising amino acids from about 2 to about 494 of Figure 1C;

(g) a nucleotide sequence encoding a staufen polypeptide comprising amino acids of *C. elegans* of Figure 1'; and

(h) a nucleotide sequence encoding a staufen polypeptide comprising a nucleotide sequence complementary to any of the nucleotide sequences in (a), (b), (c), (d), (e), (f) or (g).

ALLBY

20

- 5. A recombinant vector comprising said isolated nucleic acid molecule of claim 4.
- A method of making a recombinant host cell
  comprising introducing the recombinant vector of claim 5 into a host cell.
  - 7. A recombinant host cell produced by the method of claim 6.
- 8. A recombinant method for producing staufen polypeptide, comprising culturing said host cell of claim 7 under conditions such that said polypeptide is expressed and recovering said staufen polypeptide.
  - 9. A method for treating an animal infected by a RNA virus, comprising administering thereinto a therapeutically effective amount of a staufen polypeptide, fragment or derivative thereof, and/or a nucleic acid molecule encoding same and/or staufen-activity modulator and/or antisense of staufen together with a pharmaceutically acceptable carrier.
  - 10. The method of claim 9, wherein said RNA virus is a retrovirus.
- 25 11. The method of claim 10, wherein said retrovirus is HIV.

-	
	/12. An antibody directed against staufen of mammalian
/	<b>/</b> .
or C. elegans c	ngin.

- A recombinant protein for targeting into a RNA virus, comprising an amino acid sequence portion encoding mammalian staufen 5 or a part or derivative thereof.
  - 14 The recombinant protein of claim 13, wherein said protein is a chimeric protein.
  - 15. The protein of claim 13, wherein said RNA virus is HIV.
- 16. A composition for targeting into a RNA virus which comprises an effective amount of the recombinant protein of claim 13. 15
  - 17. The protein of claim 14, comprising a portion having RNAse or protease activity.
  - 18 The protein according to claim 13, which prevents proper maturation of said RNA virus.

10